CYS Fall/Winter Cycle Infant 6-11 months Approved by:

Menu Dates: Sept 29-Oct3 2025, Nov 3-7 2025, Dec 8-12 2025, Jan 12-16 2026, Feb 16-20 2026

Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9

Week	Components	Monday	Tuesday	Wednesday	Thursday	Friday
1	-	-		-	-	-
Breakfast	• 6-8 fl oz Breast milk or IF infant formula • 0-4 TBSP IF Infant Cereal,	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
	meat, fish, poultry, whole eggs, cooked dry beans or peas; or 0-2 oz	IF infant cereal	IF infant cereal	IF infant cereal	IF infant cereal or Scrambled eggs* (m)	IF infant cereal
	cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a	Banana (m) or infant vegetable/fruit	Infant vegetable/fruit	Applesauce (m) or infant vegetable/fruit	Mashed potatoes* (m)	Mandarin oranges* (m) or infant vegetable/fruit
	combination* • 0-2 TBSP Fruit/Vegetable				infant vegetable/fruit	
Lunch	 6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, 	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
	meat, fish, poultry, whole eggs, cooked dry	IF infant cereal or	IF infant cereal or	IF infant cereal or	IF infant cereal or	IF infant cereal or
	beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese;	Chicken* (m) or infant meat	Ground beef* (m) or infant meat	Cheese* (m) or infant meat	Ground turkey* (m) or infant meat	Pork* (m) or infant meat
	or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Butternut squash* (m), green beans* (m) or infant vegetable/fruit	Pears* (m) or infant vegetable/fruit	Steamed broccoli* (m) or infant vegetable/fruit	Peaches* (m), pinto beans* (m) or infant vegetable/fruit	Peas* (m), or infant vegetable/fruit
	• 2-4 fl oz Breast milk or IF infant formula • 0-½ bread slice; or 0-2	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
Snack	crackers; or 0-4 tbsp infant cereal or ready-to-eat cereal* • 0-2 tbsp vegetable, fruit	WGR toasted oat cereal (m) or IF infant cereal	WGR corn puffs cereal, KIX (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal Steamed carrots* (m)	WGR graham crackers without honey (m) or IF infant cereal	WGR corn puffs cereal, KIX (m) or IF infant cereal
	or both*	Applesauce* (m) or infant vegetable/fruit	Infant vegetable/fruit	or infant vegetable/fruit	Infant vegetable/fruit	Banana* (m) or infant vegetable/fruit
Snack	2-4 fl oz Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula

Date: Oct 6-10 2025, Nov 10-14 2025, Dec 15-19 2025, Jan 19-23 2026, Feb 23-27 2026

Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9

Week 2	Components	Monday	Tuesday	Wednesday	Thursday	Friday
Breakfast	6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, meat, fish, poultry, whole eggs, cooked dry beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a combination*	Breast milk or IF infant formula IF infant cereal Infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Scrambled egg* (m) Applesauce (m) or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal Mandarin oranges* (m) or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal Infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Yogurt (m) Infant vegetable/fruit
Lunch	O-2 TBSP Fruit/Vegetable G-8 fl oz Breast milk or IF infant formula O-4 TBSP IF Infant Cereal, meat, fish, poultry, whole eggs, cooked dry beans or peas; or O-2 oz cheese; or O-4 oz (volume) cottage cheese; or O-4 oz yogurt; or a combination* O-2 TBSP Fruit/Vegetable	Breast milk or IF infant formula IF infant cereal or Ground beef* (m) or infant meat Green beans* (m), mashed potatoes* without gravy (m), or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Shredded cheese* (m) or infant meat Banana (m) or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Ground turkey* (m) or infant meat Steamed carrots* (m), peas* (m), or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Chicken* (m) or infant meat Steamed broccoli* (m), or infant vegetable/fruit	Breast milk or IF infant formula IF infant cereal or Tuna* (m) or infant meat Peaches* (m), or infant vegetable/fruit
Snack	 2-4 fl oz Breast milk or IF infant formula 0-½ bread slice; or 0-2 crackers; or 0-4 tbsp infant cereal or readyto-eat cereal* 0-2 tbsp vegetable, fruit or both* 	Breast milk or IF infant formula WGR crackers* (m) or IF infant cereal Peaches* (m) or infant vegetable/fruit	Breast milk or IF infant formula WGR toasted oat cereal (m) or IF infant cereal Steamed broccoli* (m), or infant veg/fruit	Breast milk or IF infant formula WGR corn puffs cereal, KIX (m) or IF infant cereal Applesauce (m) or infant vegetable/fruit	Breast milk or IF infant formula WGR graham crackers without honey (m) or IF infant cereal Banana (m) or infant vegetable/fruit	Breast milk or IF infant formula WGR crackers* (m) or IF infant cereal Infant vegetable/fruit
Snack	2-4 fl oz Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula

Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9

Week	Components	Monday	Tuesday	Wednesday	Thursday	Friday
3	•	•	•	,	,	,
Breakfast	• 6-8 fl oz Breast milk or IF infant formula • 0-4 TBSP IF Infant Cereal,	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
	meat, fish, poultry, whole eggs, cooked dry	IF infant cereal	IF infant cereal	IF infant cereal	IF infant cereal or	IF infant cereal or
	beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Applesauce* (m) or infant vegetable/fruit	Infant vegetable/fruit	Infant vegetable/fruit	Scrambled egg* (m) Mandarin oranges* (m) or infant vegetable/fruit	Yogurt (m) Peaches* (m) or infant vegetable/fruit
Lunch	• 6-8 fl oz Breast milk or IF infant formula • 0-4 TBSP IF Infant Cereal,	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
	meat, fish, poultry, whole eggs, cooked dry beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese;	IF infant cereal or Scrambled egg* (m) or infant meat	IF infant cereal or Chicken* (without breading) (m) or infant meat	IF infant cereal or Ground beef* (m) or infant meat	IF infant cereal or White beans* (m) or infant meat	IF infant cereal or Pork* (without barbeque sauce) (m) or infant meat
	or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Mashed potatoes* (m) or infant vegetable/fruit	Banana (m), peas* (m), or infant vegetable/fruit	Steamed cauliflower* (m), or infant vegetable/fruit	Infant vegetable/fruit	Steamed broccoli* (m), pinto beans* (m) or infant vegetable/fruit
	• 2-4 fl oz Breast milk or IF infant formula • 0-½ bread slice; or 0-2	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula
Snack	crackers; or 0-4 tbsp infant cereal or ready- to-eat cereal*	WGR graham crackers without honey (m) or IF infant cereal	WGR corn puffs cereal (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal	WGR toasted oat cereal (m) or IF infant cereal
	0-2 tbsp vegetable, fruit or both*	Pears* (m) or infant vegetable/fruit	Infant vegetable/fruit	Banana (m), peaches* (m), or infant vegetable/fruit	Mashed potatoes* (m) or infant vegetable/fruit	Applesauce (m) or Infant vegetable/fruit
Snack	2-4 fl oz Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula

Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9

	Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9						
Week	Components	Monday	Tuesday	Wednesday	Thursday	Friday	
Breakfast +	6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, meat, fish, poultry, whole eggs, cooked dry beans or peas; or 0-2 oz	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal or Scrambled egg* (m)	
Bre	cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Banana (m) or infant vegetable/fruit	Infant vegetable/fruit	Peaches (m) or infant vegetable/fruit	Banana (m) or infant vegetable/fruit	Mandarin oranges* (m) or infant vegetable/fruit	
Lunch	 6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, 	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	
	meat, fish, poultry, whole eggs, cooked dry	IF infant cereal or	IF infant cereal or	IF infant cereal or	IF infant cereal or	IF infant cereal or	
	beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese;	Ground beef* (m) or infant meat	Roasted turkey* without seasoning (m) or infant meat	Pinto beans* (m), cheese* (m) or infant meat	Pork* (without sauce) (m) or infant meat	Chicken* (m) or infant meat	
	or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Mashed potatoes*(m), Pears* (m) or infant vegetable/fruit	Sweet potatoes* (m), or infant vegetable/fruit	Green beans * (m) or inf ant vegetable/fruit	Black beans* (m), steamed carrots* (m) or infant vegetable/fruit	Steamed broccoli* (m) or infant vegetable/fruit	
	• 2-4 fl oz Breast milk or IF infant formula • 0-½ bread slice; or 0-2	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	
Snack	crackers; or 0-4 tbsp infant cereal or ready-to-eat cereal* • 0-2 tbsp vegetable, fruit	WGR crackers* (m) or IF infant cereal Infant vegetable/fruit	WGR graham crackers without honey* (m) or IF infant cereal	WGR corn puffs cereal (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal Applesauce* (m) or	WGR toasted oat cereal (m) or IF infant cereal	
	or both*	mant vegetable, nat	Infant vegetable/fruit	Infant vegetable/fruit	infant vegetable/fruit	Pears* (m) or infant vegetable/fruit	
Snack	2-4 fl oz Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	

Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9							
Week 5	Components	Monday	Tuesday	Wednesday	Thursday	Friday	
Breakfast	 6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, meat, fish, poultry, 	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal	Breast milk or IF infant formula IF infant cereal or	
	whole eggs, cooked dry beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a combination* • 0-2 TBSP Fruit/Vegetable	Peaches* (m) or infant vegetable/fruit	Applesauce (m) or infant vegetable/fruit	Infant vegetable/fruit	Infant vegetable/fruit	Scrambled egg* (m) Pears* (m) or infant vegetable/fruit	
Lunch	 6-8 fl oz Breast milk or IF infant formula 0-4 TBSP IF Infant Cereal, meat, fish, poultry, 	Breast milk or IF infant formula IF infant cereal or	Breast milk or IF infant formula IF infant cereal or	Breast milk or IF infant formula IF infant cereal or	Breast milk or IF infant formula IF infant cereal or	Breast milk or IF infant formula IF infant cereal or	
	whole eggs, cooked dry beans or peas; or 0-2 oz cheese; or 0-4 oz (volume) cottage cheese; or 0-4 oz yogurt; or a	Black beans* (m) or infant meat Steamed carrots* (m),	Chicken* (m) or infant meat	Ground beef* (m) or infant meat Steamed broccoli* (m),	Cheese* (m) or infant meat Cauliflower* (m), green	Tuna* (m) or infant meat Steamed broccoli* (m),	
	combination* • 0-2 TBSP Fruit/Vegetable	pears* (m), or infant vegetable/fruit	-	peaches* (m) or infant vegetable/fruit	beans* (m) or infant vegetable/fruit	mashed potatoes* (m) or infant vegetable/fruit	
	• 2-4 fl oz Breast milk or IF infant formula • 0-½ bread slice; or 0-2	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	
Snack	crackers; or 0-4 tbsp infant cereal or ready-to-eat cereal* • 0-2 tbsp vegetable, fruit	WGR graham crackers without honey (m) or IF infant cereal	WGR toasted oat cereal (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal	WGR corn puffs cereal (m) or IF infant cereal	WGR crackers* (m) or IF infant cereal	
	or both*	Mandarin oranges* (m), or infant vegetable/fruit	Infant vegetable/fruit	Steamed carrots* (m) or infant vegetable/fruit	Applesauce (m) or infant vegetable/fruit	Banana (m) or infant vegetable/fruit	
Snack	2-4 fl oz Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	Breast milk or IF infant formula	

APPENDIX

Black beans: puree or chop into pieces smaller than the maximum width of 1/8-inch. Mashing is not adequate.

Broccoli: only the floret portion should be served to infants. Cook until soft and cut into pieces smaller than the maximum width of 1/8-inch.

Butternut squash: cook to the point where they can be easily mashed with a fork and chop into pieces smaller than the maximum width of 1/8-inch

Carrots: cook to the point where they can be easily mashed with a fork and chop into pieces smaller than the maximum width of 1/8-inch.

Cauliflower: only the floret portion should be served to infants. Cook until soft and cut into pieces smaller than the maximum width of 1/8-inch.

Cheese should be shredded or cut into pieces smaller than the maximum width of 1/8-inch.

Chicken: serve without seasoning. Finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the infant to swallow.

Graham crackers must not contain honey.

Green beans: cook to the point where they can be easily mashed with a fork and chop into pieces smaller than the maximum width of 1/8-inch.

Ground beef: finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the infant to swallow.

Ground turkey: finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the infant to swallow.

Ham: finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the infant to swallow.

Mandarin oranges must be canned.

Mashed potatoes: must be lump-free and served without gravy. Do not serve overly thick which would be difficult for the infant to swallow.

Peaches should be canned.

Pears should be canned or ripened to the point where they can be easily mashed with a fork.

Peas: must be cooked and puree or chop into pieces smaller than the maximum width of 1/8-inch. Mashing is not adequate.

Pinto beans: puree or chop into pieces smaller than the maximum width of 1/8-inch. Mashing is not adequate.

Pork: finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the infant to swallow.

Scrambled egg: serve scrambled whole egg.

CYS Fall/Winter Cycle Infant 6-11 months Approved by:		
Kayla A. Schumacher, RDN, LD, CYS Nutritionist IMCOM G9		
Sweet potatoes: cook to the point where they can be easily mashed with a fork and chop into pieces smaller than the maxi	kimum width of 1/8-inch	
Tuna: chop and add a small amount of water to prevent serving overly dry tuna, which would be difficult for the infant to s	swallow.	
Turkey: finely chop and add a small amount of water to prevent serving overly dry meat, which would be difficult for the in	nfant to swallow.	
WGR crackers should easily dissolve in the mouth. They must not be brittle and hard.		
White beans: puree or chop into pieces smaller than the maximum width of 1/8-inch. Mashing is not adequate		